Borrelia burgdorferi
adherence and entry in Vero cells, 229
endoflagellar association protein, 209
Brain abscess, 273
Bronchitis, chronic, 279
Burn patients, and *C. albicans* infection, 428

Campylobacter jejuni, antigenic variation, 215
Candida albicans
adherence, 428
antifungal prophylaxis, 367
autoreactive antibody, 367
immune response to infection, 367
infections in burn patients, 428
role of heat shock proteins in infection, 367
systemic candidosis, 367, 428
virulence factors, 428
Capsule
of *S. aureus*, 337
and virulence of *Klebsiella* strains, 250
Catalases, of *A. fumigatus*, 61
Catecholamines, and cellular uptake of *L. donovani*, 283
Cefoxitin, resistance of *Bacteroides* spp., 89
Cell cultures
adherence of *C. albicans* to epithelial cells, 428
adherence of *E. coli*, 37, 264
adherence and entry of *B. burgdorferi*, 229
adherence of *P. aeruginosa* to respiratory epithelial cells, 104
adherence of *S. dysenteriae* to colonic epithelial cells, 403
adherence of *S. flexneri* to colonic epithelial cells, 403
interaction of macrophages with *L. donovani*, 283
virulence of *Salmonella* of serotype Gallinarum, 389
Cephalosporin resistance, 6, 89
Cerebrospinal fluid (CSF), *C. diversus* in, 273
Chemiluminescence, 223, 250
Chromatography
affinity, 121, 190
anion exchange, 190
fast protein liquid, 190
gas-liquid, and transesterification, 371
Citrobacter diversus, brain abscess, 273
Clavulanic acid, resistance of *Bacteroides* spp., 89
Clostridium
C. difficile, haemagglutinating activity, 190
C. difficile, proteolytic activity, 306
C. difficile toxins, 30, 190
C. difficile, virulence factors, 306
C. sordellii toxins, 30
Complement
in opsonophagocytosis of *P. carinii*, 223
Congenital bacterial sepsis, 117
Congo-red, binding by shigella, 403
Continuous ambulatory peritoneal dialysis, 71, 414
Coriolus vesicolor, immunostimulant properties, 112
Cyanobacteria, and human health, 301
Cystic fibrosis, 104, 437
Cysticercosis, 46
Cytotoxins, of *E. coli*, 37, 198

Desiccation, resistance of *S. aureus*, 56
Dialysis, 71, 414
Diarrhoea
E. coli infection, 37, 264
in *G. lamblia* infection, 347
role of cyanobacteria, 301
Dihydrofolate reductases, 1, 4
DNA
amplification, 255
gyrase, 9
hybridisation, 37, 83, 149, 255, 320
restriction analysis, 172, 209, 414
Dot-spot hybridisation, 255

Echinococcosis, 46
Echinococcus granulosus, 46
Electronmicroscopy
adherence and entry of *B. burgdorferi* in Vero cells, 229
adherence of *H. mustelae* to gastric mucosa, 420
adherence of *P. aeruginosa* to respiratory epithelial cells, 104
biofilm associated with peritoneal implants, 406
flagella of *B. burgdorferi*, 209
immuno-electronmicroscopy, 209
interaction of haemagglutinin and gingivain of *P. gingivalis*, 239
scanning, 104, 406
transmission, 229, 239, 406, 420
Electrophoresis
contour-clamped homogeneous electric field (CHEF), 172
see also PAGE: SDS-PAGE
ELISA
detection of Shiga-like toxin-producing *E. coli*, 198
indirect (sandwich) method, 128
Entamoeba histolytica
antigen, 41
monoclonal antibodies, 41
Enterococcus faecalis
antibacterial activity of PD131628, 353
Enterotoxins
of *Aeromonas* spp., 269
of *C. difficile*, 190
of *E. coli*, 37, 398
staphylococcal, 156, 164
Epidemiology
of antibiotic resistance, 13
biochemical fingerprinting of *Salmonella* of serotype Havana, 382
coagulase-negative staphylococci, 320
diarrhoeagenic *E. coli*, 37
of methicillin-resistant *S. aureus*, 172
Escherichia coli
adherence, 37
antibacterial activity of PD131628, 353
antibiotic resistance, 6, 18
in bacteraemia, 203
detection of Shiga-like toxins, 198
diarrhoeagenic strains, 37
entero-adherent (EAEC), 264
enterotoxigenic (ETEC) 398
gene probes, 37
induction of SOS gene by 4-quinolones, 78
in infantile diarrhoea, 264
in meningitis, 203
rapid detection of enterotoxins, 398
role of β-lactamases, 6
toxins, 37
virulence factors, 203

Faeces
detection of *M. paratuberculosis*, 255
detection of Shiga-like toxin-producing *E. coli*, 198
diagnosis of *G. lamblia* infection, 347
entero-adherent *E. coli* in, 264
Fatty acid modifying enzyme (FAME), 293
Fatty acids
bactericidal, in staphylococcal abscesses, 288, 293, 332, 337
chromatographic profiles of *Legionella* spp., 371
resistance of *S. aureus*, 56
transesterification in gas-liquid chromatography, 371
Fimbriae, of *E. coli*, 203

Flagella
of *B. burgdorferi*, 209
of *H. mustelae*, 420
Fluid secretion, enterotoxicity of *Aeromonas* spp., 269
Fosfomycin, and coagulase-negative staphylococci, 320
Fusidic acid
in peritoneal dialysis, 71
resistance of coagulase-negative staphylococci, 320

Gastric mucosa, adherence of *H. mustelae*, 420
Gastroenteritis
acute bacterial, 318
biochemical fingerprinting of *Salmonella* serotype Havana, 382
neutrophil response, 318
viral, 318
Gene
induction of SOS gene by 4-quinolones, 78
probe, and amikacin-resistant gram-negative bacilli, 83
probe, analysis of coagulase-negative staphylococci, 320
probe, for detection of *M. paratuberculosis*, 255
probe, ribotyping of coagulase-negative staphylococci, 414
probes, for diarrhoeagenic *E. coli*, 37
Giardia lamblia
diagnosis of infection, 347
immune response to infection, 347
Gingivain, 239
Glycopeptide antibiotics, and resistance, 14
Gonococci *see Neisseria gonorrhoeae*
Gram-positive bacteria, glycopeptide resistance, 14

Haemagglutination
by *P. gingivalis*, 239
properties of *C. difficile* toxin A, 190
properties of *S. dysenteriae*, 403
properties of *S. flexneri*, 403
by *Salmonella* of serotype Gallinarum, 389
Haem-specific binding proteins of *N. gonorrhoeae*, 121
Haemolytic properties
of *P. gingivalis*, 239
of *S. aureus*, 164
of "*S. milleri*", 143
Haemophilus
Haemophilus
H. influenzae meningitis, 312
H. parainfluenzae biotyping, 279
H. parainfluenzae in chronic bronchitis, 279
Heat shock proteins, 367
Helicobacter mustelae
adherence to gastric mucosa, 420
flagella, 420
Herpesvirus
human herpesvirus-6, 221
Hybridisation of DNA
amikacin-resistant gram-negative bacilli, 83
detection of *M. paratuberculosis*, 255
gene probe assay for *E. coli*, 37
typing of coagulase-negative staphylococci, 320
typing of "*S. milleri*", 149
Hydatidosis, 46
Hydrophobicity, properties of shigella, 403

Ileal loops
enterotoxicity of *Aeromonas* spp., 269
Imipenem, resistance of *Bacteroides* spp., 89
Immune complexes (circulating)
in pulmonary tuberculosis, 128
Immune response
to *E. histolytica*, 41
to *Giardia lamblia*, 347
in *M. pneumoniae* infection, 341
in *S. marcescens* infection, 245
in systemic candidosis, 367
Immunisation
against pertussis, 141
chickens against *Salmonella* of serotype Gallinarum, 389
mice against *S. marcescens*, 245
rabbits against *P. aeruginosa*, 406
Immunoblotting
amikacin-resistant gram-negative bacilli, 83
C. difficile toxin A, 190
coagulase-negative staphylococci, 320
hydatid-specific antibody, 46
serum in *M. pneumoniae* infection, 341
toxins of *C. difficile*, 30
toxins of *C. sordellii*, 30
Immunofluorescence, 229, 347
Immunoglobulins
IgA and IgG in *G. lamblia* infection, 347
IgG, in *M. pneumoniae* infection, 341
IgG response in cystic fibrosis, 437
IgG response to *P. aeruginosa*, 437
Immunostimulants
protective activity against *L. monocytogenes*, 112
Immunosuppression
effects on *C. albicans* infection, 367
human herpesvirus-6 infection, 221
Implants, mechanism of persistent infection, 406
Iron
haem-specific binding proteins of *N. gonorrhoeae*, 121
human lactoferrin-binding protein in *S. aureus*, 177
novel siderophore (azurechelin) from *P. cepacia*, 184

Klebsiella
capsule, 250
resistance to serum, 250
susceptibility to phagocytosis, 250
toxicity, 250

β-Lactamases
activity of *Bacteroides* spp., 89
in cephalosporin resistance, 6
in penicillin resistance, 6
Lactobacilli
L. casei, immunostimulant properties, 112
Lactoferrin, 177
Latamoxef, resistance of *Bacteroides* spp., 89
Legionella
rapid identification by gas-liquid chromatography, 371
Leishmania donovani
uptake of promastigotes by host cells, 283
Lipase, of *S. aureus*, 52
Lipopolysaccharide (LPS) of *P. aeruginosa*, 358
Listeria monocytogenes
protective activity of immunostimulants, 112

Macrophages
and activity of immunostimulants against *L. monocytogenes*, 112
interaction with promastigotes of *L. donovani*, 283
opsonophagocytosis of *P. carinii*, 223
Media
for production of group A streptococcus bacteriocin, 132
Meningitis
E. coli infection, 203
H. influenzae infection, 312
Methicillin, resistance of *S. aureus*, 56, 164, 172
Mitogenic activity, of staphylococcal enterotoxin B, 156
Mitomycin, C
induction of SOS response, 78
and production of Shiga-like toxins by *E. coli*, 198

Monoclonal antibodies
against *E. histolytica*, 41
against *P. aeruginosa*, 358
against staphylococcal enterotoxin B, 156
Mouse model
anti-*L. monocytogenes* properties of immunostimulants, 112
bactericidal fatty acids in staphylococcal abscesses, 288, 293, 332
dissemination and proliferation of *S. typhimurium*, 377
immune response to *S. marcescens* infection, 245
role of host susceptibility in infection, 377
systemic candidosis, 367, 428
virulence of *Klebsiella* in peritonitis, 250
Mucins, respiratory, 104
Mucosa
gastric, adherence of *H. mustelae*, 420
microflora, in ulcerative colitis, 96
neutrophil response to mucosal infection, 318
Mycobacteria
M. paratuberculosis, detection by RNA probe, 255
M. tuberculosis, antigen 5, 128
M. tuberculosis, circulating immune complexes, 128
M. tuberculosis, in pulmonary tuberculosis, 128
Mycoplasma pneumoniae
antigens, 341
immune response, 341

Naegleria gruberi, 303
Neisseria gonorrhoeae
haem-specific binding proteins, 121
Neonates, 117, 203
Neutropenia, 318
Neutrophilia, 318

Opsonisation, of *P. carinii*, 223
Opsonophagocytosis
and antibiotic-resistant bacteria, 22
of *P. carinii*, 223

PAGE (polyacrylamide gel electrophoresis)
catalases of *A. fumigatus*, 61
see also SDS-PAGE
PD131628, antibacterial activity, 353
Pefloxacin, and coagulase-negative staphylococci, 320
Penicillin resistance
of *Bacteroides* spp., 89
plasmid-mediated, 6
role of β-lactamases, 6
Peritonitis, 71, 250, 406, 414
Pertussis, immunisation policy, 141
Phagocytosis
Klebsiella by polymorphonuclear leucocytes, 250
P. carinii by macrophages, 223
P. carinii by polymorphonuclear leucocytes, 223
promastigotes of *L. donovani* by macrophages, 283
S. aureus by polymorphonuclear leucocytes, 52
sensitivity of antibiotic-resistant bacteria, 22
Plasmids
amikacin-resistant gram-negative bacilli, 83
β-lactamase expression, 6
cephalosporin resistance, 6
encoding dihydrofolate reductases, 1
penicillin resistance, 6
in resistance mechanisms, 5
sulphonamide resistance, 5
trimethoprim resistance, 1, 5
typing of coagulase-negative staphylococci, 320
Pneumocystis carinii, opsonophagocytosis, 223
Polyethylene glycol precipitation method, 128
Polymerase chain reaction (PCR), 255
Polymorphonuclear leucocytes (PMNLs)
aggregation by *S. aureus*, 52
opsonophagocytosis of *P. carinii*, 223
phagocytosis of *Klebsiella*, 250
phagocytosis of *S. aureus*, 52
response to mucosal infection, 318
Porphyromonas gingivalis
cysteine proteinase (gingivain), 239
haemagglutinin, 239
PROCEEDINGS OF THE PATHOLOGICAL SOCIETY OF GREAT BRITAIN AND IRELAND, Vol. 36 No. 5 May 1992. pp. i–xiv
Protease, of *C. difficile*, 306
Proteinase, of *P. gingivalis*, 239
Proteins
endoflagellar associated, of *B. burgdorferi*, 209
haem-binding polypeptides of *N. gonorrhoeae* 121
heat shock proteins, 367
Pseudomonas
P. aeruginosa, adherence to respiratory epithelial cells, 104
P. aeruginosa, antibiotic resistance, 18
P. aeruginosa, biofilm production, 406
P. aeruginosa in cystic fibrosis, 104, 437
P. aeruginosa, immune response in infection, 437
P. aeruginosa, lipopolysaccharide, 358
P. aeruginosa, monoclonal antibodies, 358
P. aeruginosa, persistent infection of peritoneal implants, 406
P. cepacia, novel siderophore (azurechelin), 184
Pyrolysis mass spectrometry, "*S. milleri*", 149

4-Quinolones
antibacterial activity of PD131628, 353
induction of SOS gene, 78
mechanisms of resistance, 9

Rabbit model
meningitis in *H. influenzae* infection, 312
Radiolabelling techniques, 229
Rat model
fusidic acid in peritoneal dialysis, 71
Restriction analysis
endoflagellar associated protein of *B. burgdorferi*, 209
ribotyping of coagulase-negative staphylococci, 414
typing of *C. diversus*, 273
Restriction fragment length polymorphism typing, 172
Ribotyping, coagulase-negative staphylococci, 414
Rifampicin, and coagulase-negative staphylococci, 320
RNA
amplification, 255
in detection of *M. paratuberculosis*, 255
ribotyping of coagulase-negative staphylococci, 414
Roseola infantum syndrome, 221

Salmonella
S. typhimurium, dissemination and proliferation in mice, 377
S. typhimurium, role of host susceptibility in infection, 377
serotype Havana, biochemical fingerprinting, 382
virulence of mutant strains of serotype Gallinarum, 389
SDS-PAGE
antigens of *M. pneumoniae*, 341
C. difficile toxin A, 190
human lactoferrin-binding protein in *S. aureus*, 177
typing of *C. diversus* strains, 273
Sepsis, congenital bacterial, 117
Septicaemia, 203
Serotyping
antigenic variation in *C. jejuni*, 215
of "*S. milleri*", 143

Serratia marcescens, immune response, 245
Serum
  in amoebic disease, 41
  circulating immune complexes in pulmonary tuberculosis, 128
  in *G. lamblia* infection, 347
  in hydatid infection, 46
  in *M. pneumoniae* infection, 341
  resistance of *Klebsiella*, 250
Shiga-like toxins, 37, 198
Shigella
  S. dysenteriae, adhesive properties, 403
  S. flexneri, adhesive properties, 403
SOS response, 78, 353
Staphylococci
  antibacterial activity of PD131628, 353
  coagulase-negative, epidemiological assessment, 320
  coagulase-negative, and glycopeptide resistance, 17
  coagulase-negative, resistance markers, 320
  coagulase-negative, ribotyping, 414
  in dialysis-associated peritonitis, 71
  mitogenic epitope of enterotoxin B, 156
  S. aureus, aggregation of granulocytes, 52
  S. aureus, and antibiotic resistance, 18
  S. aureus, bactericidal fatty acids in staphylococcal abscesses, 288, 293, 332, 337
  S. aureus, capsule, 337
  S. aureus, enterotoxins, 164
  S. aureus, extracellular lipase, 52
  S. aureus, fatty acid resistance, 56
  S. aureus, haemolysins, 164
  S. aureus, human lactoferrin-binding protein, 177
  S. aureus, methicillin-resistant, 56, 164, 172
  S. aureus, methicillin-sensitive, 164
  S. aureus, phagocytosis by granulocytes, 52
  S. aureus, resistance to desiccation, 56
  S. epidermidis, epidemiological assessment, 320
Streptococci
  production of group A bacteriocin, 132
  S. agalactiae in congenital bacterial sepsis, 117
  "*S. milleri*", characterisation, 143, 149
  "*S. milleri*", in systemic purulent infections, 143
  "*S. milleri*", taxonomy, 143, 149
  S. pneumoniae, and antibiotic resistance, 18
  S. pyogenes, immunostimulant properties, 112
Streptococcin, 132
Sulphonamide resistance, 5
Systemic lupus erythematosus (SLE), 367

Toxins
  of *C. difficile*, 30, 190
  of *C. sordellii*, 30
  of cyanobacteria, 301
  of *E. coli*, 37, 198
  Shiga-like, 198
  see also Enterotoxins
Transposon Tn*phoA*, 389
Trimethoprim resistance
  dihydrofolate reductases, 1, 6
  plasmid-encoded, 1, 6
Trimethylsulphonium hydroxide, in transesterification, 371
Tuberculosis, pulmonary, 128

Ulcerative colitis, 96

Vaccine, against pertussis, 141
Veterinary practice, antibiotics in, 69
Vibrio cholerae, association with amoebae, 303
Virulence factors
  association with antibiotic resistance, 20
  C. albicans, 428
  C. difficile, 306
  E. coli, 203
  Klebsiella, 250
  Salmonella of serotype Gallinarum, 389
Viruses
  human herpesvirus-6, 221
  neutrophil response to mucosal infection, 318

Water-borne disease
  association of *V. cholerae* with amoebae, 303
  cyanobacteria and human health, 301
  immune response to *G. lamblia*, 347
Western blotting, 46, 177, 209, 437
Whooping cough, 141

INDEX OF AUTHORS FOR VOLUME 36

ACHESON D W K, *see* LAW *et al.*, 198
AHMAD Q S, *see* FARUQUE *et al.*, 37
ALAM A N, *see* FARUQUE *et al.*, 37
ALBERT M J, *see* FARUQUE *et al.*, 37
ALTEMAYER D, *see* PLOTKOWSKI *et al.*, 104
AMYES S G B, GEMMELL C G. Antibiotic resistance in bacteria, 4
AMYES S G B, TOWNER K J, YOUNG H-K. Classification of plasmid-encoded dihydrofolate reductases conferring trimethoprim resistance, 1
ANDERSSON M, *see* NAIDU *et al.*, 177
ANSORG R, *see* NALIK *et al.*, 371
AUBERT G, POZZETTO B, HAFID J, GAUDIN O G. Immunoblotting patterns with *Mycoplasma pneumoniae* of serum specimens from infected and non-infected subjects, 341
AUBERT SYLVIE, *see* WALCHER-SALESSE *et al.*, 320

BARCLAY G R, *see* NELSON *et al.*, 358
BARROW P A, LOVELL M A, OLD D C. In-vitro and in-vivo characteristics of Tn*phoA* mutant strains of *Salmonella* serotype Gallinarum not invasive for tissue culture cells, 389
BEIGHTON D, *see* WINSTANLEY *et al.*, 149
BHATTACHARYYA F KATHLENE *see* MITRA *et al.*, 283
BINEK M, NEWCOMB J R, ROGERS C M, ROGERS T J. Localisation of the mitogenic epitope of staphylococcal enterotoxin B, 156
BIRKBECK T H, *see* COIA *et al.*, 164
BISWAS MADHUMITA, *see* MITRA *et al.*, 283
BORDON F, *see* TRAN VAN NHIEU *et al.*, 83
BORRIELLO S P, *see* KAMIYA AND BORRIELLO, 190
BORRIELLO S P, *see* SEDDON AND BORRIELLO, 307
BRACONIER J H, *see* ROLLOF *et al.*, 52
BRAUNER A, *see* KATOULI *et al.*, 382
BRAUNER ANNELIE, *see* TULLUS *et al.*, 203
BRENWALD N, *see* FARRINGTON *et al.*, 56
BROCKLEHURST K, *see* SHAH *et al.*, 239
BROWNING LYNDA, *see* COIA *et al.*, 164
BURMAN L G, *see* TULLUS *et al.*, 203

CASTOR BIRGITTA, *see* LJUNGSTRÖM AND CASTOR, 347
CHAKRABARTY PAMPA, *see* MITRA *et al.*, 283
CHEVILLARD M, *see* PLOTKOWSKI *et al.*, 104
CLANCY R L, *see* TAYLOR *et al.*, 279
COIA J E, BROWNING LYNDA, HAINES LORRAINE, BIRKBECK T H, PLATT D J. Comparison of enterotoxins and haemolysins produced by methicillin-resistant (MRSA) and sensitive (MSSA) *Staphylococcus aureus*, 164
COLE G F, *see* MORGAN *et al.*, 273
COLLATZ E, *see* TRAN VAN NHIEU *et al.*, 83
COOKSON B D, STAPLETON P, LUDLAM H. Ribotyping of coagulase-negative staphylococci, 414
COSTERTON J W, *see* WARD *et al.*, 406
CRIPPS A W, *see* TAYLOR *et al.*, 279
CZIRÓK ÉVA, SEMJÉN G, STEINRÜCK H, HERPAY MARIA, MILCH HEDDA, NYOMÁRKAY ILDIKO, STVERTECZKY ZSOFIA, SZENESS AGNES. Comparison of rapid methods for detection of heat-labile (LT) and heat-stable (ST) enterotoxin in *Escherichia coli*, 398

DATTA A, *see* GUHATHAKURTA *et al.*, 403
DENNIS J J, *see* SOKOL *et al.*, 184
DONOHUE-ROLFE A, *see* LAW *et al.*, 198
DRASAR B S, *see* THOM *et al.*, 303
DYE E S, *see* SHRYOCK *et al.*, 332

EASMON C S F, *see* TAYLOR *et al.*, 223
EDWARDS R, GREENWOOD D. An investigation of β-lactamases from clinical isolates of *Bacteroides* species, 89
EGER A, *see* VAN DER GIESSEN *et al.*, 255
EIFFERT H, SCHLOTT T, HOPPERT M, LOTTER HANNELORE, THOMSSEN R. Identification of an endoflagellar associated protein in *Borrelia burgdorferi*, 209
EIFUKU H, *see* KITADA *et al.*, 143
EL SOLH NÉVINE, *see* WALCHER-SALESSE *et al.*, 320
ENRIGHT M, *see* MORGAN *et al.*, 273

FARHOUDI-MOGHADDAM A A, *see* KATOULI *et al.*, 382
FARRINGTON M, BRENWALD N, HAINES D, WALPOLE E. Resistance to desiccation and skin fatty acids in outbreak strains of methicillin-resistant *Staphylococcus aureus*, 56
FARUQUE S M, HAIDER K, ALBERT M J, AHMAD Q S, ALAM A N, NAHAR S, TZIPORI S. A comparative study of specific gene probes and standard bioassays to identify diarrhoeagenic *Escherichia coli* in paediatric patients with diarrhoea in Bangladesh, 37
FINDON GLENNE, *see* ROWE *et al.*, 71
FORSGREN A, *see* NAIDU *et al.*, 177
FOX J G, *see* O'ROURKE *et al.*, 420
FRYKLUND BIRGITTA, *see* TULLUS *et al.*, 203

GAASTRA W, *see* VAN DER GIESSEN *et al.*, 255
GAMSU H R, *see* THOMPSON *et al.*, 117
GANGULI LEELA A, *see* LAW *et al.*, 198
GAUDIN O G, *see* AUBERT *et al.*, 341
GEMMELL C G, *see* AMYES AND GEMMELL, 4
GENT A E, *see* HARTLEY *et al.*, 96
GHARBIA S E, *see* SHAH *et al.*, 239
GHOSH A R, NAIR G B, NAIK T N, PAUL MOUSUMI, PAL S C, SEN D. Entero-adherent *Escherichia coli* is an important diarrhoeagenic agent in infants aged below 6 months in Calcutta, India, 264
GHOSH D K, *see* MITRA *et al.*, 283
GHOSH LAGNAJITA, *see* MITRA *et al.*, 283
GOVAN J R W, *see* NELSON *et al.*, 358
GRACE R H, *see* HARTLEY *et al.*, 96
GREENOUGH ANNE, *see* THOMPSON *et al.*, 117
GREENWOOD D, *see* EDWARDS AND GREENWOOD, 89
GRUBB W B, *see* WEI *et al.*, 172
GUHATHAKURTA B, SASMAL D, DATTA A. Adhesion of *Shigella dysenteriae* type 1 and *Shigella flexneri* to guinea-pig colonic epithelial cells *in vitro*, 403

HAAGSMA J, *see* VAN DER GIESSEN *et al.*, 255
HAFID J, *see* AUBERT *et al.*, 341
HAIDER K, *see* FARUQUE *et al.*, 37
HAINES D, *see* FARRINGTON *et al.*, 56
HAINES LORRAINE, *see* COIA *et al.*, 164
HARDIE J M, *see* WINSTANLEY *et al.*, 149
HARING R M, *see* VAN DER GIESSEN *et al.*, 255
HARRIS H L, *see* HECHEMY *et al.*, 229

HARTLEY M GILLIAN, HUDSON M J, SWARBRICK E T, HILL M J, GENT A E, HELLIER M D, GRACE R H. The rectal mucosa-associated microflora in patients with ulcerative colitis, 96
HEARN VERONICA M, WILSON ELAINE V, MACKENZIE D W R. Analysis of *Aspergillus fumigatus* catalases possessing antigenic activity, 61
HECHEMY K E, SAMSONOFF W A, HARRIS H L, MCKEE M. Adherence and entry of *Borrelia burgdorfei* in Vero cells, 229
HELLIER M D, *see* HARTLEY *et al.*, 96
HENGSTLER B, *see* SULC *et al.*, 312
HENSLEY M J, *see* TAYLOR *et al.*, 279
HERPAY MARIA, *see* CZIRÓK *et al.*, 398
HILL M J, *see* HARTLEY *et al.*, 96
HINDMARCH J M, *see* WINSTANLEY *et al.*, 149
HOPPERT M, *see* EIFFERT *et al.*, 209
HSU H S, *see* XU AND HSU, 377
HUDSON M J, *see* HARTLEY *et al.*, 96
HUNTER P R. Cyanobacteria and human health, 301

INOUE M, *see* KITADA *et al.*, 143
IRVING W L. Human herpesvirus-6, 221

JACK R W, TAGG J R. Factors affecting production of the group A streptococcus bacteriocin SA-FF22, 132
JOHNSON AYODELE M, *see* KENNEDY *et al.*, 428

KAMBOJ M S, *see* KANWAR *et al.*, 46
KAMIYA S, BORRIELLO S P. A non-haemagglutinating form of *Clostridium difficile* toxin A, 190
KANWAR J R, KAUSHIK S P, SAWHNEY I M S, KAMBOJ M S, MEHTA S K, VINAYAK V K. Specific antibodies in serum of patients with hydatidosis recognised by immunoblotting, 46
KAPRAL F A, *see* MORTENSEN *et al.*, 293
KAPRAL F A, *see* MORTENSEN AND KAPRAL, 337
KAPRAL F A, *see* SHRYOCK *et al.*, 332
KAPRAL F A, *see* SHRYOCK AND KAPRAL, 288
KATOULI M, KÜHN I, BRAUNER A, FARHOUDI-MOGHADDAM A A, MÖLLBY R. Application of biochemical fingerprinting to the investigation of clonal groups of *Salmonella* of serotype Havana, 382
KAUSHIK S P, *see* KANWAR *et al.*, 46
KENNEDY M J, JOHNSON AYODELE M, VOLZ P A, NEELY ALICE N, YANCEY R J. Virulence and adhesive properties of serotypes A and B of *Candida albicans* isolated from paediatric burn patients, 428
KITADA K, NAGATA K, YAKUSHIJI T, EIFUKU H, INOUE M. Serological and biological characteristics of "*Streptococcus milleri*" isolates from systemic purulent infections, 143
KRINK G, *see* SULC *et al.*, 312
KÜHN I, *see* KATOULI *et al.*, 382
KUMAGAI Y, OKADA K, SAWAE Y. The effect of humoral and cell-mediated immunity in resistance to systemic serratia infection, 245
KURJANCZYK L A, *see* MILLS *et al.*, 215
KUZNIAR B, *see* MILLS *et al.*, 215

LAGACÉ J, *see* LIKAVCANOVA AND LAGACÉ, 437
LAM K, *see* WARD *et al.*, 406
LAW D, GANGULI LEELA A, DONOHUE-ROLFE A, ACHESON D W K. Detection by ELISA of low numbers of Shiga-like toxin-producing *Escherichia coli* in mixed cultures after growth in the presence of mitomycin C, 198
LEANORD A T, *see* MORGAN *et al.*, 273
LEE A, *see* O'ROURKE *et al.*, 420
LEE B C. Isolation of haemin-binding proteins of *Neisseria gonorrhoeae*, 121
LEWIN C S. Antibacterial activity of a 1,8-naphthyridine quinolone, PD131628, 353
LEWIS C J, *see* SOKOL *et al.*,184
LIKAVCANOVA E, LAGACÉ J. Quantitative analysis of immunoglobulin G subclass responses to *Pseudomonas aeruginosa* antigens in cystic fibrosis, 437
LIMB D I, *see* WINSTANLEY *et al.*, 149
LJUNGSTRÖM INGER, CASTOR BIRGITTA. Immune response to *Giardia lamblia* in a water-borne outbreak of giardiasis in Sweden, 347
LOTTER HANNELORE, *see* EIFFERT *et al.*, 209
LOVELL M A, *see* BARROW *et al.*, 389
LUDLAM H, *see* COOKSON *et al.*, 414

MCKEE M, *see* HECHEMY *et al.*, 229
MACKENZIE D W R, *see* HEARN *et al.*, 61
MAGEE J T, *see* WINSTANLEY *et al.*, 149
MARTINEZ R D, WILKINS T D. Comparison of *Clostridium sordellii* toxins HT and LT with toxins A and B of *C. difficile*, 30
MATHAI A, *see* RADHAKRISHNAN *et al.*, 128
MATTHEWS RUTH C. *Candida albicans* HSP 90: link between protective and autoimmunity, 367
MEHTA S K, *see* KANWAR *et al.*, 46
MICKLEM L R, *see* NELSON *et al.*, 358
MILCH HEDDA, *see* CZIRÓK *et al.*, 398
MILLER T E, *see* ROWE *et al.*, 71
MILLS, S D, KUZNIAR B, SHAMES B, KURJANCZYK L A, PENNER J L. Variation of the O antigen of *Campylobacter jejuni in vivo*, 215
MITRA SMITA, GHOSH LAGNAJITA, CHAKRABARTY PAMPA, BISWAS MADHUMITA, BHATTACHARYYA F KATHLENE, GHOSH D K. Effect of bioamines on uptake of promastigotes of *Leishmania donovani* by hamster peritoneal macrophages, 283
MÖLLBY R, *see* KATOULI *et al.*, 382
MONZON-MORENO C, *see* WALCHER-SALESSE *et al.*, 320
MORGAN M G, STUART C, LEANORD A T, ENRIGHT M, COLE G F. *Citrobacter diversus* brain abscess: case reports and molecular epidemiology, 273
MORTENSEN J E, KAPRAL F A. Effect of capsulation on the resistance of *Staphylococcus aureus* to the bactericidal lipids produced in abscesses, 337
MORTENSEN J E, SHRYOCK T R, KAPRAL F A. Modification of bactericidal fatty acids by an enzyme of *Staphylococcus aureus*, 293
MÜLLER K-D, *see* NALIK *et al.*, 371
MUNKHAMMAR T, *see* TULLUS *et al.*, 203
MURREE-ALLEN K, *see* TAYLOR *et al.*, 279

NAGATA K, *see* KITADA *et al.*, 143
NAHAR S, *see* FARUQUE *et al.*, 37
NAIDU A S, ANDERSSON M, FORSGREN A. Identification of a human lactoferrin-binding protein in *Staphylococcus aureus*, 177
NAIK T N, *see* GHOSH *et al.*, 264
NAIR G B, *see* GHOSH *et al.*, 264
NALIK H P, MÜLLER K-D, ANSORG R. Rapid identification of *Legionella* species from a single colony by gas-liquid chromatography with trimethylsulphonium hydroxide for transesterification, 371
NEELY ALICE N, *see* KENNEDY *et al.*, 428
NELSON J W, BARCLAY G R, MICKLEM L R, POXTON IR, GOVAN J R W. Production and characterisation of mouse monoclonal

antibodies reactive with the lipopolysaccharide core of *Pseudomonas aeruginosa*, 358
NEWCOMB J R, *see* BINEK *et al.*, 156
NICOLAIDES K H, *see* THOMPSON *et al.*, 117
NILSSON-EHLE P, *see* ROLLOF *et al.*, 52
NYOMÁRKAY ILDIKO, *see* CZIRÓK *et al.*, 398

OKADA K, *see* KUMAGAI *et al.*, 245
OLD D C, *see* BARROW *et al.*, 389
OLSON M E, *see* WARD *et al.*, 406
O'REILLY T, *see* SULC *et al.*, 312
O'ROURKE JANI, LEE A, FOX J G. An ultrastructural study of *Helicobacter mustelae* and evidence of a specific association with gastric mucosa, 420

PAL S C, *see* GOSH *et al.*, 264
PAUL MOUSUMI, *see* GHOSH *et al.*, 264
PENNER J L, *see* MILLS *et al.*, 215
PHILLIPS A D, SHAH A R, WALKER-SMITH J A. Neutrophil response to mucosal infection, 318
PHILLIPS I, *see* POWER AND PHILLIPS, 78
PHILLIPS MICHELLE, *see* TAYLOR *et al.*, 223
PHILPOTT-HOWARD J, *see* THOMPSON *et al.*, 117
PIERROT D, *see* PLOTKOWSKI *et al.*, 104
PLATT D J, *see* COIA *et al.*, 164
PLOTKOWSKI M S, CHEVILLARD M, PIERROT D, ALTEMAYER D, PUCHELLE E. Epithelial respiratory cells from cystic fibrosis patients do not possess specific *Pseudomonas aeruginosa*-adhesive properties, 104
PODSCHUN R, ULLMANN U. *Klebsiella* capsular type K7 in relation to toxicity, susceptibility to phagocytosis and resistance to serum, 250
POWER E G M, PHILLIPS I. Induction of the SOS gene (*umuC*) by 4-quinolone antibacterial drugs, 78
POXTON I R, *see* NELSON *et al.*, 358
POZZETTO B, *see* AUBERT *et al.*, 341
PROGULSKE-FOX A, *see* SHAH *et al.*, 239
PUCHELLE E, *see* PLOTKOWSKI *et al.*, 104

RABSCH W, *see* TULLUS *et al.*, 203
RADHAKRISHNAN V V, MATHAI A, SUNDARAM P. Diagnostic significance of circulating immune complexes in patients with pulmonary tuberculosis, 128
REISSBRODT R, *see* TULLUS *et al.*, 203
ROGERS C M, *see* BINEK *et al.*, 156
ROGERS T J, *see* BINEK *et al.*, 156
ROLLOF J, VINGE E, NILSSON-EHLE P, BRACONIER J H. Aggregation of human granulocytes by *Staphylococcus aureus* lipase, 52
ROWE LOUISE, FINDON GLENNE, MILLER T E. An experimental evaluation of the pharmacokinetics of fusidic acid in peritoneal dialysis, 71

SAITO H, *see* TOMIOKA *et al.*, 112
SAMSONOFF W A, *see* HECHEMY *et al.*, 229
SANYAL S C, *see* SINGH AND SANYAL, 269
SASMAL D, *see* GUHATHAKURTA *et al.*, 403
SATO K, *see* TOMIOKA *et al.*, 112
SAUNDERS N A, *see* TAYLOR *et al.*, 279
SAWAE Y, *see* KUMAGAI *et al.*, 245
SAWHNEY I M S, *see* KANWAR *et al.*, 46
SCHLOTT T, *see* EIFFERT *et al.*, 209
SEDDON S V, BORRIELLO S P. Proteolytic activity of *Clostridium difficile*, 307
SEMJÉN G, *see* CZIRÓK *et al.*, 398
SEN D, *see* GHOSH *et al.*, 264
SHAH A R, *see* PHILLIPS *et al.*, 318
SHAH H N, GHARBIA S E, PROGULSKE-FOX A, BROCKLEHURST K. Evidence for independent molecular identity and functional interaction of the haemagglutinin and cysteine proteinase (gingivain) of *Porphyromonas gingivalis*, 239
SHAMES B, *see* MILLS *et al.*, 215
SHANDIL R K, VINAYAK V K. Immunochemical characterisation of a 29-Kda surface-associated molecule of *Entamoeba histolytica* and its recognition by serum from patients with amoebiasis, 41
SHRYOCK T R, DYE E S, KAPRAL F A. The accumulation of bactericidal lipids in staphylococcal abscesses, 332
SHRYOCK T R, KAPRAL F A. The production of bactericidal fatty acids from glycerides in staphylococcal abscesses, 288
SHRYOCK T R, *see* MORTENSEN *et al.*, 293
SINGH D V, SANYAL S C. Enterotoxicity of clinical and environmental isolates of *Aeromonas* spp., 269
SOKOL P A, LEWIS C J, DENNIS J J. Isolation of a novel siderophore from *Pseudomonas cepacia*, 184
SPENCER R C, *see* WINSTANLEY *et al.*, 149
STAPLETON P, *see* COOKSON *et al.*, 414
STEINRÜCK H, *see* CZIRÓK *et al.*, 398
STUART C, *see* MORGAN *et al.*, 273
STVERTECZKY ZSOFIA, *see* CZIRÓK *et al.*, 398
SULC P, HENGSTLER B, KRINK G, O'REILLY T, ZAK O. Experimental rabbit model of meningitis produced by *Haemophilus influenzae* serotype c, 312
SUNDARAM P, *see* RADHAKRISHAN *et al.*, 128
SUTHERLAND D C, *see* TAYLOR *et al.*, 279
SWARBRICK E T, *see* HARTLEY *et al.*, 96
SZENESS AGNES, *see* CZIRÓK *et al.*, 398

TAGG J R, *see* JACK AND TAGG, 128
TAYLOR DIANA C, CRIPPS A W, CLANCY R L, MURREE-ALLEN K, HENSLEY M J, SAUNDERS N A, SUTHERLAND D C. Biotypes of *Haemophilus parainfluenzae* from the respiratory secretions in chronic bronchitis, 279
TAYLOR M B, PHILLIPS MICHELLE, EASMON C S F. Opsonophagocytosis of *Pneumocystis carinii*, 223
THOM SUSAN, WARHURST D, DRASAR B S. Association of *Vibrio cholerae* with fresh water amoebae, 303
THOMPSON P J, GREENOUGH ANNE, GAMSU H R, NICOLAIDES K H, PHILPOTT-HOWARD J. Congenital bacterial sepsis in very preterm infants, 117
THOMSSEN R, *see* EIFFERT *et al.*, 209
TOMIOKA H, SATO K, SAITO H. The protective activity of immunostimulants against *Listeria monocytogenes* infection in mice, 112
TOWNER K J, *see* Amyes *et al.*, 1
TRAN VAN NHIEU G, BORDON F, COLLATZ E. Incidence of an aminoglycoside 6′-*N*-acetyltransferase, ACC(6′)-1b, in amikacin-resistant clinical isolates of gram-negative bacilli, as determined by DNA-DNA hybridisation and immunoblotting, 83
TULLUS K, BRAUNER ANNELIE, FRYKLUND BIRGITTA, MUNKHAMMAR T, RABSCH W, REISSBRODT R, BURMAN L G. Host factors *versus* virulence-associated bacterial characteristics in neonatal and infantile bacteraemia and meningitis caused by *Escherichia coli*, 203
TZIPORI S, *see* FARUQUE *et al.*, 37

Ullmann U, *see* Podschun and Ullmann, 250

Van der Giessen J W B, Eger A, Haagsma J, Haring R M, Gaastra W, Van der Zeijst B A M. Amplification of 16S rRNA sequences to detect *Mycobacterium paratuberculosis*, 255
Van der Zeijst B A M, *see* Van der Giessen *et al.*, 255
Vinayak V K, *see* Kanwar *et al.*, 46
Vinayak V K, *see* Shandil and Vinayak, 41
Vinge E, *see* Rollof *et al.*, 52
Volz P A, *see* Kennedy *et al.*, 428

Walcher-Salesse Sieglinde, Monzon-Moreno C, Aubert Sylvie, El Solh Névine. An epidemiological assessment of coagulase-negative staphylococci from an intensive care unit, 320
Walker-Smith J A, *see* Phillips *et al.*, 319
Walpole E, *see* Farrington *et al.*, 56
Walton J R. Use of antibiotics in veterinary practice, 69
Wang Fu, *see* Wei *et al.*, 172
Ward K H, Olson M E, Lam K, Costerton J W. Mechanism of persistent infection associated with peritoneal implants, 406
Warhurst D, *see* Thom *et al.*, 303
Wei M-Q, Wang Fu, Grubb W B. Use of contour-clamped homogeneous electric field (CHEF) electrophoresis to type methicillin-resistant *Staphylococcus aureus*, 172
Whiley R A, *see* Winstanley *et al.*, 149
Wilkins T D, *see* Martinez and Wilkins, 30
Wilson Elaine V, *see* Hearn *et al.*, 61
Winstanley T G, Magee J T, Limb D I, Hindmarch J M, Spencer R C, Whiley R A, Beighton D, Hardie J M. A numerical taxonomic study of the "*Streptococcus milleri*" group based upon conventional phenotypic tests and pyrolysis mass spectrometry, 149

Xu H R, Hsu H S. Dissemination and proliferation of *Salmonella typhimurium* in genetically resistant and susceptible mice, 377

Yakushiji T, *see* Kitada *et al.*, 143
Yancey R J, *see* Kennedy *et al.*, 428
Young H-K, *see* Amyes *et al.*, 1

Zak O, *see* Sulc *et al.*, 312